

# Оформление кнопок на просмотр/скачивание документов

Basic	<pre>&lt;a class="my-btn" href="#" target="_blank"&gt;Basic&lt;/a&gt;</pre>
Basic	<pre>&lt;a class="my-btn focus" href="#" target="_blank"&gt;Basic focus&lt;/a&gt;</pre>
Basic active	<pre>&lt;a class="my-btn active" href="#" target="_blank"&gt;Basic active&lt;/a&gt;</pre>
Basic disabled	<pre>&lt;a class="my-btn disabled" href="#" target="_blank"&gt;Basic disabled&lt;/a&gt;</pre>
Success	<pre>&lt;a class="my-btn success" href="#" target="_blank"&gt;Success&lt;/a&gt;</pre>
Success focus	<pre>&lt;a class="my-btn success focus" href="#" target="_blank"&gt;Success focus&lt;/a&gt;</pre>

Success active	<pre>&lt;a class="my-btn success active" href="#" target="_blank"&gt;Success active&lt;/a&gt;</pre>
Success disabled	<pre>&lt;a class="my-btn success disabled" href="#" target="_blank"&gt;Success disabled&lt;/a&gt;</pre>
Info	<pre>&lt;a class="my-btn info" href="#" target="_blank"&gt;Info&lt;/a&gt;</pre>
Info focus	<pre>&lt;a class="my-btn info focus" href="#" target="_blank"&gt;Info focus&lt;/a&gt;</pre>
Info active	<pre>&lt;a class="my-btn info active" href="#" target="_blank"&gt;Info active&lt;/a&gt;</pre>
Info disabled	<pre>&lt;a class="my-btn info disabled" href="#" target="_blank"&gt;Info disabled&lt;/a&gt;</pre>
Warning	<pre>&lt;a class="my-btn warning" href="#" target="_blank"&gt;Warning&lt;/a&gt;</pre>
Warning focus	<pre>&lt;a class="my-btn warning focus" href="#" target="_blank"&gt;Warning focus&lt;/a&gt;</pre>
Warning active	<pre>&lt;a class="my-btn warning active" href="#" target="_blank"&gt;Warning active&lt;/a&gt;</pre>

Warning disabled	<pre>&lt;a class="my-btn warning disabled" href="#" target="_blank"&gt;Warning disabled&lt;/a&gt;</pre>
Danger	<pre>&lt;a class="my-btn danger" href="#" target="_blank"&gt;Danger&lt;/a&gt;</pre>
Danger focus	<pre>&lt;a class="my-btn danger focus" href="#" target="_blank"&gt;Danger focus&lt;/a&gt;</pre>
Danger active	<pre>&lt;a class="my-btn danger active" href="#" target="_blank"&gt;Danger active&lt;/a&gt;</pre>
Danger disabled	<pre>&lt;a class="my-btn danger disabled" href="#" target="_blank"&gt;Danger disabled&lt;/a&gt;</pre>

## CSS Код:

```
/* Оформление кнопок с классом my-btn */
.my-btn {
display: inline-block;
margin: .5em;
font-weight: normal;
text-align: center;
white-space: nowrap;
vertical-align: middle;
-ms-touch-action: manipulation;
touch-action: manipulation;
cursor: pointer;
background-image: none;
padding: 10px 16px;
line-height: 1.3333333;
border-radius: 4px;
```

```
border: 1px solid transparent;
-webkit-user-select: none;
-moz-user-select: none;
-ms-user-select: none;
user-select: none;
color: var(--text-color);
background-color: var(--primary-color-light);
border-color: var(--border-color-light);
&:hover {
  color: var(--primary-color);
  border-color: var(--primary-color);
}
&:focus,
&.focus {
  color: var(--primary-color);
  border-color: var(--primary-color);
  outline-offset: -2px;
}
&:active,
&.active {
  background-image: none;
  outline: 0;
  -webkit-box-shadow: inset 0 3px 5px var(--text-color-gray);
  box-shadow: inset 0 3px 5px var(--text-color-gray);
  color: var(--primary-color);
  border-color: var(--primary-color);
}
&:active:hover,
&.active:hover,
&:active:focus,
&.active:focus,
&:active.focus,
&.active.focus {
  color: var(--primary-color);
  border-color: var(--primary-color);
}
&.success {
  --color: #fff;
  --bg: #198754;
  --border-color: #198754;
```

```
--hover-color: #fff;
--hover-bg: #157347;
--hover-border-color: #146c43;
--focus-shadow-rgb: 60, 153, 110;
--active-color: #fff;
--active-bg: #146c43;
--active-border-color: #13653f;
--active-shadow: inset 0 3px 5px rgba(0, 0, 0, 0.125);
--disabled-color: #fff;
--disabled-bg: #198754;
--disabled-border-color: #198754;
color: var(--color);
background-color: var(--bg);
border-color: var(--border-color);
&:hover {
  color: var(--hover-color);
  background-color: var(--hover-bg);
  border-color: var(--hover-border-color);
}
&:focus,
&.focus {
  shadow: var(--focus-shadow-rgb);
}
&:active,
&.active {
  color: var(--active-color);
  background-color: var(--active-bg);
  border-color: var(--active-border-color);
  shadow: var(--active-shadow);
}
&.disabled {
  color: var(--disabled-color);
  background-color: var(--disabled-bg);
  border-color: var(--disabled-border-color);
}
}
&.info {
  --color: #000;
  --bg: #0dcaf0;
  --border-color: #0dcaf0;
```

```
--hover-color: #000;
--hover-bg: #31d2f2;
--hover-border-color: #25cff2;
--focus-shadow-rgb: 11, 172, 204;
--active-color: #000;
--active-bg: #3dd5f3;
--active-border-color: #25cff2;
--active-shadow: inset 0 3px 5px rgba(0, 0, 0, 0.125);
--disabled-color: #000;
--disabled-bg: #0dcaf0;
--disabled-border-color: #0dcaf0;
color: var(--color);
background-color: var(--bg);
border-color: var(--border-color);
&:hover {
  color: var(--hover-color);
  background-color: var(--hover-bg);
  border-color: var(--hover-border-color);
}
&:focus,
&.focus {
  shadow: var(--focus-shadow-rgb);
}
&:active,
&.active {
  color: var(--active-color);
  background-color: var(--active-bg);
  border-color: var(--active-border-color);
  shadow: var(--active-shadow);
}
&.disabled {
  color: var(--disabled-color);
  background-color: var(--disabled-bg);
  border-color: var(--disabled-border-color);
}
}
&.warning {
  --color: #000;
  --bg: #ffc107;
  --border-color: #ffc107;
```

```
--hover-color: #000;
--hover-bg: #ffca2c;
--hover-border-color: #ffc720;
--focus-shadow-rgb: 217, 164, 6;
--active-color: #000;
--active-bg: #ffcd39;
--active-border-color: #ffc720;
--active-shadow: inset 0 3px 5px rgba(0, 0, 0, 0.125);
--disabled-color: #000;
--disabled-bg: #ffc107;
--disabled-border-color: #ffc107;
color: var(--color);
background-color: var(--bg);
border-color: var(--border-color);
&:hover {
  color: var(--hover-color);
  background-color: var(--hover-bg);
  border-color: var(--hover-border-color);
}
&:focus,
&.focus {
  shadow: var(--focus-shadow-rgb);
}
&:active,
&.active {
  color: var(--active-color);
  background-color: var(--active-bg);
  border-color: var(--active-border-color);
  shadow: var(--active-shadow);
}
&.disabled {
  color: var(--disabled-color);
  background-color: var(--disabled-bg);
  border-color: var(--disabled-border-color);
}
}
&.danger {
  --color: #fff;
  --bg: #dc3545;
  --border-color: #dc3545;
```

```
--hover-color: #fff;
--hover-bg: #bb2d3b;
--hover-border-color: #b02a37;
--focus-shadow-rgb: 225, 83, 97;
--active-color: #fff;
--active-bg: #b02a37;
--active-border-color: #a52834;
--active-shadow: inset 0 3px 5px rgba(0, 0, 0, 0.125);
--disabled-color: #fff;
--disabled-bg: #dc3545;
--disabled-border-color: #dc3545;
color: var(--color);
background-color: var(--bg);
border-color: var(--border-color);
&:hover {
  color: var(--hover-color);
  background-color: var(--hover-bg);
  border-color: var(--hover-border-color);
}
&:focus,
&.focus {
  shadow: var(--focus-shadow-rgb);
}
&:active,
&.active {
  color: var(--active-color);
  background-color: var(--active-bg);
  border-color: var(--active-border-color);
  shadow: var(--active-shadow);
}
& .disabled {
  color: var(--disabled-color);
  background-color: var(--disabled-bg);
  border-color: var(--disabled-border-color);
}
}
}
.my-btn.disabled,
.my-btn[disabled],
fieldset[disabled] .my-btn {
```



```
cursor: not-allowed;
filter: alpha(opacity=65);
opacity: 0.65;
-webkit-box-shadow: none;
box-shadow: none;
}
.my-btn.disabled:hover,
.my-btn[disabled]:hover,
fieldset[disabled] .my-btn:hover,
.my-btn.disabled:focus,
.my-btn[disabled]:focus,
fieldset[disabled] .my-btn:focus,
.my-btn.disabled.focus,
.my-btn[disabled].focus,
fieldset[disabled] .my-btn.focus {
    background-color: var(--primary-color-light);
    border-color: var(--border-color-light);
}
a.my-btn.disabled,
fieldset[disabled] a.my-btn {
    pointer-events: none;
}
a.my-btn {
    text-decoration: none;
}
```

Как внедрить код CSS на наш сайт описывается в [следующей статье](#).

Revision #5

Created 5 November 2024 09:13:10 by Admin

Updated 11 November 2024 05:46:30 by Admin